



HBL[®]

NICKEL CADMIUM **Railroad Batteries**

for use on-board
Metro trains
Light Rail Vehicles / Trams
Long Haul Coaches
Locomotives

HBL Ni-Cd railroad batteries are specifically designed and tested for use on passenger rail vehicles. The robust designs survive for many years in the harsh environments of the rail operator. They provide emergency power, reliably and safely to maintain critical functions on-board the trains in the event power is lost to the train from the catenary/third rail or the head end power.

HBL batteries meet the stringent specifications of the rail operator – especially focused on:

- Flammability/smoke specifications
- Electrical performance
- Mechanical strength
- Low maintenance
- Life expectancy

We offer the widest range of cell types in the industry today. This allows us to offer existing fleets drop in replacements for legacy rail vehicles where the battery boxes have been designed around a particular OEM manufacturer.

HBL batteries come complete with all the necessary Nickel plated copper inter-cell connectors, cables, central water filling system and flame arrestor vents to make a completely safe installation. We provide stainless steel carrying crates appropriate to the battery layout for ease of installation and protection of the cells.



Quality – HBL has an unwavering focus and commitment to quality and customer satisfaction. All HBL rail battery factories are certified to ISO9001, ISO14001 and ISO3834-2. HBL Ni-Cd batteries are designed and type tested to IEC60623:2017.

Where new vehicle fleets are being designed by a rail OEM, HBL can propose a cell type that minimises the space and weight required for the battery. When constraints are particularly demanding HBL is prepared to design a specific size for the vehicle – allowing the rail OEM to save space and weight – and money. HBL is also qualified to EN15085-2 for welding of car body components. We are able to supply entire battery housings and distribution panels for rail OEM's with the battery pre-wired, ready to be mounted to the new vehicle.





HBL Power Systems Ltd. is a stock market listed company specialising in industrial battery design and manufacture. We have supplied railways around the world for more than 40 years with a wide variety of battery solutions both on-board and trackside.

HBL America Inc., based in Connecticut is able to provide support for our North American customers – including engineering design, logistics support, service and test capabilities and spare parts.

Compliant Standards

Electrical:

- Exceeds the medium “M” type requirements of IEC 60 623 for KFM, KRM & KRMC models
- Exceeds the medium “H” type requirements of IEC 60 623 for KFH, KRX & KRXC models
- Exceeds the medium “X” type requirements of IEC 60 623 for KFX
- Meets the requirement of UIC 854R

Fire & smoke:

- ASTM E 162 (NFPA 130 :2020)
- ASTM E 662 (NFPA 130 :2020)
- BSS 7239 (NFPA 130 :2020)

Shock & vibration:

- IEC 61 373

Quality:

- ISO 9001
- IRIS
- Welding – EN 15085 - 2

Environment:

- Fully recyclable
- ISO 14001

ALSTOM

NEW YORK CITY TRANSIT

METRO NORTH COMMUTER RAILROAD

ST LOUIS METRO

STADLER AMERICA


SIEMENS MOBILITY US AND GERMANY

TEXRAIL, FORT WORTH

MASSACHUSETTS BAY COMMUTER

RAILROAD

LA METRO



PES Rail Range KF... PS Fibre Data

Fibre - M Type Dimensional Data



Type	Rated capacity (C ₅ Ah)	Cell Dimensions						Crate Dimensions														
		Length		Width		Height		Length														
								Width		Height		2 Cell Crate		3 Cell Crate		4 Cell Crate		5 Cell Crate		6 Cell Crate		
		mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	
KFM 80PS	80	105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327	12.87
KFM 90PS	90	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43	
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327	12.87
KFM 100PS	100	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43	
KFM 105PS	105	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43	
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327	12.87
KFM 120PS	120	80	3.13	162	6.38	328	12.91	167	6.57	337	13.27	-	-	-	-	330	12.99	410	16.12	489	19.25	
KFM 140PS	140	80	3.13	162	6.38	328	12.91	167	6.57	337	13.27	-	-	-	-	330	12.99	410	16.12	489	19.25	
KFM 160PS	160	95	3.74	171	6.73	317	12.48	176	6.93	326	12.83	-	-	-	-	392	15.43	487	19.17	582	22.91	
KFM 180PS	180	95	3.74	171	6.73	317	12.48	176	6.93	326	12.83	-	-	-	-	392	15.43	487	19.17	582	22.91	
		98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62	
KFM 200PS	200	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62	
KFM 225PS	225	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	357	14.06	472	18.58	587	23.11	-	-	
KFM 235PS	235	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-	
KFM 250PS	250	102	4.02	159	6.26	408	16.06	164	6.46	417	16.42	-	-	318	12.52	420	16.54	522	20.55	-	-	
KFM 265PS	265	113	4.43	162	6.38	401	15.79	167	6.57	410	16.14	-	-	350	13.77	462	18.20	575	22.64	-	-	
KFM 275PS	275	102	4.02	159	6.26	408	16.06	164	6.46	417	16.42	-	-	318	12.52	420	16.54	522	20.55	-	-	
		138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	287	11.30	425	16.71	562	22.13	-	-	-	-	
KFM 295PS	295	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-	
KFM 308PS	308	102	4.02	159	6.26	408	16.06	164	6.46	417	16.42	-	-	318	12.52	420	16.54	522	20.55	-	-	
KFM 320PS	320	113	4.43	162	6.38	401	15.79	167	6.57	410	16.14	-	-	350	13.77	462	18.20	575	22.64	-	-	
KFM 340PS	340	113	4.43	162	6.38	401	15.79	167	6.57	410	16.14	-	-	350	13.77	462	18.20	575	22.64	-	-	

* KFM 80 KFM 90 and KFM 105 models HBL can offer crates in 8 cell, 10 cell and 12 cell configurations - For Dimensional details please contact HBL

PES Rail Range KF... PS Fibre Data

Fibre - M Type Weight Data

Type		Crate Weight											
		Cell Weight		2 Cell Crate		3 Cell Crate		4 Cell Crate		5 Cell Crate		6 Cell Crate	
		Kg		Kg		Kg		Kg		Kg		Kg	
KFM 80PS	80	4.8	10.6	-	-	-	-	-	-	-	-	31.4	69.3
KFM 90PS	90	5.0	11.0	-	-	-	-	22.6	49.9	27.7	61.1	32.8	72.4
		4.9	10.8	-	-	-	-	-	-	-	-	32.0	70.6
KFM 100PS	100	5.1	11.2	-	-	-	-	23.0	50.8	28.2	62.2	33.4	73.7
KFM 105PS	105	5.2	11.5	-	-	-	-	23.4	51.6	28.7	63.3	34.0	75.0
		5.0	11.0	-	-	-	-	-	-	-	-	32.6	71.9
KFM 120PS	120	6.4	14.1	-	-	-	-	28.2	62.2	34.7	76.5	41.2	90.9
KFM 140PS	140	6.8	15.0	-	-	-	-	29.8	65.7	36.7	81.0	43.6	96.2
KFM 160PS	160	7.2	15.9	-	-	-	-	31.6	69.7	39.0	86.0	46.4	102.3
KFM 180PS	180	7.4	16.3	-	-	-	-	32.4	71.5	40.0	88.2	47.6	105.0
		8.4	18.5	-	-	27.8	61.3	36.4	80.3	45.1	99.5	53.7	118.4
KFM 200PS	200	8.8	19.4	-	-	29.0	64.0	38.0	83.8	47.1	103.9	56.1	123.7
KFM 225PS	225	10.4	22.9	-	-	34.0	75.0	44.6	98.4	55.3	122.0	-	-
KFM 235PS	235	12.6	27.8	27.8	61.3	40.7	89.7	53.6	118.2	66.5	146.7	-	-
KFM 250PS	250	10.8	23.8	-	-	35.2	77.5	46.3	102.0	57.4	126.6	-	-
KFM 265PS	265	12.0	26.5	-	-	38.9	85.8	51.2	112.9	63.5	140.0	-	-
KFM 275PS	275	11.0	24.3	-	-	35.8	78.8	47.1	103.7	58.4	128.8	-	-
		13.0	28.7	28.8	63.5	42.1	92.9	55.4	122.2	-	-	-	-
KFM 295PS	295	15.4	34.0	33.9	74.8	49.6	109.4	65.3	144.0	-	-	-	-
KFM 308PS	308	11.3	24.9	-	-	36.7	81.0	48.3	106.5	59.9	132.1	-	-
KFM 320PS	320	13.0	28.7	-	-	41.9	92.4	55.2	121.7	68.5	151.1	-	-
KFM 340PS	340	13.4	29.5	-	-	43.1	95.1	56.8	125.3	70.5	155.5	-	-



Note: Actual weights may vary within +/- 5%

PES Rail Range KF... PS Fibre Data

Fibre - H Type Dimensional Data


Type	Rated capacity (C ₅ Ah)	Cell Dimensions						Dimensions															
		Length		Width		Height		Width		Height		Length											
		mm	in	mm	in	mm	in	mm	in	mm	in	2 Cell crate		3 Cell crate		4 Cell crate		5 Cell crate		6 Cell crate			
KFH 70PS	70	105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327	12.87	
KFH 85PS	85	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43		
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327	12.87	
KFH 100PS	100	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43		
KFH 115PS	115	80	3.13	162	6.38	328	12.91	167	6.57	337	13.27	-	-	-	-	330	12.99	410	16.12	489	19.25		
KFH 135PS	135	95	3.74	171	6.73	317	12.48	176	6.93	326	12.83	-	-	-	-	392	15.43	487	19.17	582	22.91		
KFH 155PS	155	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62		
KFH 170PS	170	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62		
KFH 185PS	185	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	357	14.06	472	18.58	587	23.11	-	-		
KFH 205PS	205	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-		
KFH 220PS	220	138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	287	11.30	425	16.71	562	22.13	-	-	-	-		
KFH 225PS	225	102	4.02	159	6.26	408	16.06	164	6.46	417	16.42	-	-	318	12.52	420	16.54	522	20.55	-	-		
KFH 235PS	235	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-		
KFH 245PS	245	102	4.02	159	6.26	408	16.06	164	6.46	417	16.42	-	-	318	12.52	420	16.54	522	20.55	-	-		
KFH 250PS	250	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-		
KFH 260PS	260	113	4.43	162	6.38	401	15.79	167	6.57	410	16.14	-	-	350	13.77	462	18.20	575	22.64	-	-		
KFH 280PS	280	113	4.43	162	6.38	401	15.79	167	6.57	410	16.14	-	-	350	13.77	462	18.20	575	22.64	-	-		

* KFM 80 KFM 90 and KFM 105 models HBL can offer crates in 8 cell, 10 cell and 12 cell configurations - For Dimensional details please contact HBL

PES Rail Range KF... PS Fibre Data

Fibre - H Type Weight Data

Type	Rated capacity (C ₅ Ah)	Cell Weight		Weight									
				2 Cell crate		3 Cell crate		4 Cell crate		5 Cell crate		6 Cell crate	
		Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb
KFH 70PS	70	5.0	11.0	-	-	-	-	-	-	-	-	32.6	71.9
KFH 85PS	85	5.2	11.5	-	-	-	-	23.4	51.6	28.7	63.3	34.0	75.0
		5.2	11.5	-	-	-	-	-	-	-	-	33.8	74.6
KFH 100PS	100	5.4	11.9	-	-	-	-	24.2	53.4	29.7	65.5	35.2	77.7
KFH 115PS	115	7.0	15.4	-	-	-	-	30.6	67.5	37.7	83.2	44.8	98.8
KFH 135PS	135	7.6	16.8	-	-	-	-	33.2	73.2	41.0	90.4	48.8	107.6
KFH 155PS	155	8.6	19.0	-	-	28.4	62.7	37.2	82.1	46.1	101.7	54.9	121.1
KFH 170PS	170	9.0	19.8	-	-	29.6	65.3	38.8	85.6	48.1	106.1	57.3	126.4
KFH 185PS	185	10.6	23.4	-	-	34.6	76.3	45.4	100.1	56.3	124.2	-	-
KFH 205PS	205	12.8	28.2	28.2	62.2	41.3	91.1	54.4	120.0	67.5	148.9	-	-
KFH 220PS	220	13.2	29.1	29.2	64.4	42.7	94.2	56.2	123.9	-	-	-	-
KFH 225PS	225	11.0	24.3	-	-	35.8	79.0	47.1	103.9	58.4	128.8	-	-
KFH 235PS	235	15.2	33.5	33.5	73.9	49.0	108.1	64.5	142.2	-	-	-	-
KFH 245PS	245	11.4	25.1	-	-	37.0	81.6	48.7	107.4	60.4	133.2	-	-
KFH 250PS	250	15.6	34.4	34.3	75.7	50.2	110.7	66.1	145.8	-	-	-	-
KFH 260PS	260	13.0	28.7	-	-	41.9	92.4	55.2	121.7	68.5	151.1	-	-
KFH 280PS	280	13.6	30.0	-	-	43.7	96.4	57.6	127.0	71.5	157.7	-	-



Note: Actual weights may vary within +/- 5%

PES Rail Range KF... PS Fibre Data

Fibre - X Type Dimensional Data

Type	Rated capacity (C ₅ Ah)	Cell Dimensions						Dimensions														
		Length		Width		Height		Width		Height		Length										
												2 Cell Crate		3 Cell Crate		4 Cell Crate		5 Cell Crate		6 Cell Crate		
		mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm
KFX 50PS	50	105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327	12.87
KFX 60PS	60	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43	
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327	12.87
KFX 74PS	74	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43	
KFX 85PS	85	80	3.13	162	6.38	328	12.91	167	6.57	337	13.27	-	-	-	-	330	12.99	410	16.12	489	19.25	
KFX 110PS	110	95	3.74	171	6.73	317	12.48	176	6.93	326	12.83	-	-	-	-	392	15.43	487	19.17	582	22.91	
KFX 115PS	115	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62	
KFX 125PS	125	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62	
KFX 140PS	140	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	375	14.76	490	19.29	605	23.82	-	-	
KFX 150PS	150	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	280	11.02	405	15.94	530	20.87	655	25.79	-	-	
KFX 156PS	156	102	4.02	159	6.26	408	16.06	164	6.46	417	16.42	-	-	318	12.52	420	16.54	522	20.55	-	-	
KFX 165PS	165	138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	305	12.01	443	17.42	580	22.83	-	-	-	-	
KFX 170PS	170	113	4.43	162	6.38	401	15.79	167	6.57	410	16.14	-	-	350	13.77	462	18.20	575	22.64	-	-	
KFX 190PS	190	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	330	12.99	480	18.90	630	24.80	-	-	-	-	


* KFM 80 KFM 90 and KFM 105 models HBL can offer crates in 8 cell, 10 cell and 12 cell configurations - For Dimensional details please contact HBL

PES Rail Range KF... PS Fibre Data

Fibre - X Type Weight Data

Type	Rated capacity (C ₅ Ah)	Cell Weight		Weight									
				2 Cell crate		3 Cell crate		4 Cell crate		5 Cell crate		6 Cell crate	
		Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb
KFX 50PS	50	5.2	11.5	-	-	-	-	-	-	-	-	33.8	74.6
KFX 60PS	60	5.4	11.9	-	-	-	-	24.2	53.4	29.7	65.5	35.2	77.7
		5.3	11.7	-	-	-	-	-	-	-	-	34.4	75.9
KFX 74PS	74	5.5	12.1	-	-	-	-	24.6	54.3	30.2	66.6	35.8	79.0
KFX 85PS	85	7.2	15.9	-	-	-	-	31.4	69.3	38.7	85.4	46.0	101.5
KFX 110PS	110	7.8	17.2	-	-	-	-	34.0	75.0	42.0	92.6	50.0	110.3
KFX 115PS	115	8.8	19.4	-	-	29.0	64.0	38.0	83.8	47.1	103.9	56.1	123.7
KFX 125PS	125	9.2	20.3	-	-	30.2	66.6	39.6	87.4	49.1	108.3	58.5	129.0
KFX 140PS	140	10.8	23.8	-	-	35.2	77.7	46.2	101.9	57.3	126.4	-	-
KFX 150PS	150	13.0	28.7	28.6	63.1	41.9	92.4	55.2	121.7	68.5	151.1	-	-
KFX 156PS	156	11.6	25.6	-	-	37.6	82.9	49.5	109.2	61.4	135.4	-	-
KFX 165PS	165	13.4	29.5	29.6	65.3	43.3	95.5	57.0	125.7	-	-	-	-
KFX 170PS	170	13.6	30.0	-	-	43.7	96.4	57.6	127.0	71.5	157.7	-	-
KFX 190PS	190	15.7	34.6	34.5	76.1	50.5	111.4	66.5	146.7	-	-	-	-

Note: Actual weights may vary within +/- 5%



PES Rail Range KR... PS Sintered Data

Sintered - M Type Dimensional Data


Type	Rated capacity (C ₅ Ah)	Cell Dimensions						Dimensions													
		Length		Width		Height		Width	Height	Length											
		mm	in	mm	in	mm	in			mm	in	mm	in	mm	in	mm	in	mm	in	mm	in
KRM 80PS	80	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327
KRM 105PS	105	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327
KRM 124PS	124	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
KRM 140PS	140	80	3.13	162	6.38	328	12.91	167	6.57	337	13.27	-	-	-	-	330	12.99	410	16.12	489	19.25
KRM 155PS	155	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRM 172PS	172	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRM 188PS	188	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRM 205PS	205	95	3.74	171	6.73	317	12.48	176	6.93	326	12.83	-	-	-	-	392	15.43	487	19.17	582	22.91
KRM 220PS	220	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	357	14.06	472	18.58	587	23.11	-	-
KRM 235PS	235	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	357	14.06	472	18.58	587	23.11	-	-
KRM 250PS	250	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-
KRM 265PS	265	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-
KRM 280PS	280	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-
KRM 295PS	295	138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	287	11.30	425	16.71	562	22.13	-	-	-	-
KRM 315PS	315	138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	287	11.30	425	16.71	562	22.13	-	-	-	-
KRM 330PS	330	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-
KRM 348PS	348	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-

* KRX 80 PS and KRM 105 PS models, HBL can offer crates in 8 cell, 10 cell and 12 cell configurations - For Dimensional details please contact HBL

PES Rail Range KR... PS Sintered Data

Sintered - M Type Weight Data

Type	Rated capacity (C ₅ Ah)	Cell Weight		Weight									
				2 Cell crate		3 Cell crate		4 Cell crate		5 Cell crate		6 Cell crate	
		Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb
KRM 80PS	80	5.3	11.7	-	-	-	-	23.8	52.5	29.2	64.4	34.6	76.3
		5.2	11.5	-	-	-	-	-	-	-	-	33.8	74.6
KRM 105PS	105	5.6	12.3	-	-	-	-	25.0	55.2	30.7	67.7	36.4	80.3
		5.5	12.1	-	-	-	-	-	-	-	-	35.6	78.5
KRM 124PS	124	5.9	13.0	-	-	-	-	26.2	57.8	32.2	71.0	38.2	84.3
KRM 140PS	140	7.2	15.9	-	-	-	-	31.4	69.3	38.7	85.4	46.0	101.5
KRM 155PS	155	8.8	19.4	-	-	29.0	64.0	38.0	83.8	47.1	103.9	56.1	123.7
KRM 172PS	172	9.0	19.8	-	-	29.6	65.3	38.8	85.6	48.1	106.1	57.3	126.4
KRM 188PS	188	9.4	20.7	-	-	30.8	68.0	40.4	89.1	50.1	110.5	59.7	131.7
KRM 205PS	205	7.8	17.2	-	-	-	-	34.0	75.0	42.0	92.6	50.0	110.3
KRM 220PS	220	10.5	23.1	-	-	34.3	75.7	45.0	99.3	55.8	123.1	-	-
KRM 235PS	235	10.8	23.8	-	-	35.2	77.7	46.2	101.9	57.3	126.4	-	-
KRM 250PS	250	12.3	27.1	27.2	60.0	39.8	87.8	52.4	115.6	65.0	143.4	-	-
KRM 265PS	265	12.7	28.0	28.0	61.8	41.0	90.4	54.0	119.1	67.0	147.8	-	-
KRM 280PS	280	13.0	28.7	28.6	63.1	41.9	92.4	55.2	121.7	68.5	151.1	-	-
KRM 295PS	295	13.3	29.3	29.4	64.9	43.0	94.8	56.6	124.8	-	-	-	-
KRM 315PS	315	13.6	30.0	30.0	66.2	43.9	96.8	57.8	127.5	-	-	-	-
KRM 330PS	330	15.4	34.0	33.9	74.8	49.6	109.4	65.3	144.0	-	-	-	-
KRM 348PS	348	15.8	34.8	34.7	76.6	50.8	112.0	66.9	147.5	-	-	-	-



Note: Actual weights may vary within +/- 5%

PES Rail Range KR... PS Sintered Data

Sintered - H Type Dimensional Data


Type	Rated capacity (C ₅ Ah)	Cell Dimensions						Dimensions													
		Length		Width		Height		Width		Height		Length									
		mm	in	mm	in	mm	in	mm	in	mm	in	2 Cell crate	3 Cell crate	4 Cell crate	5 Cell crate	6 Cell crate					
		mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in
KRX 70PS	70	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327
KRX 80PS	80	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327
KRM 94PS	94	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
KRX 107PS	107	80	3.13	162	6.38	328	12.91	167	6.57	337	13.27	-	-	-	-	330	12.99	410	16.12	489	19.25
KRX 130PS	130	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRX 145PS	145	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRX 150PS	150	95	3.74	171	6.73	317	12.48	176	6.93	326	12.83	-	-	-	-	392	15.43	487	19.17	582	22.91
KRX 160PS	160	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	357	14.06	472	18.58	587	23.11	-	-
KRX 175PS	175	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	357	14.06	472	18.58	587	23.11	-	-
KRX 190PS	190	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-
KRX 210PS	210	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-
KRX 215PS	215	138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	287	11.30	425	16.71	562	22.13	-	-	-	-
KRX 235PS	235	138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	287	11.30	425	16.71	562	22.13	-	-	-	-
KRX 240PS	240	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-
KRX 255PS	255	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-

* KRX 70 PS and KRX 80 PS models, HBL can offer crates in 8 cell, 10 cell and 12 cell configurations - For Dimensional details please contact HBL

PES Rail Range KR... PS Sintered Data

Sintered - H Type Weight Data

Type	Rated capacity (C ₅ Ah)	Cell Weight		Weight									
				2 Cell crate		3 Cell crate		4 Cell crate		5 Cell crate		6 Cell crate	
		Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb
KRX 70PS	70	5.1	11.2	-	-	-	-	23.0	50.8	28.2	62.2	33.4	73.7
		5.0	11.0	-	-	-	-	-	-	-	-	32.6	71.9
KRX 80PS	80	5.3	11.7	-	-	-	-	23.8	52.5	29.2	64.4	34.6	76.3
		5.2	11.5	-	-	-	-	-	-	-	-	33.8	74.6
KRX 94PS	94	5.5	12.1	-	-	-	-	24.6	54.3	30.2	66.6	35.8	79.0
KRX 107PS	107	7.0	15.4	-	-	-	-	30.6	67.5	37.7	83.2	44.8	98.8
KRX 130PS	130	8.6	19.0	-	-	28.4	62.7	37.2	82.1	46.1	101.7	54.9	121.1
KRX 145PS	145	9.0	19.8	-	-	29.6	65.3	38.8	85.6	48.1	106.1	57.3	126.4
KRX 150PS	150	7.5	16.5	-	-	-	-	32.8	72.4	40.5	89.3	48.2	106.3
KRX 160PS	160	10.2	22.5	-	-	33.4	73.7	43.8	96.6	54.3	119.8	-	-
KRX 175PS	175	10.4	22.9	-	-	34.0	75.0	44.6	98.4	55.3	122.0	-	-
KRX 190PS	190	12.2	26.9	27.0	59.6	39.5	87.1	52.0	114.7	64.5	142.2	-	-
KRX 210PS	210	12.5	27.6	27.6	60.9	40.4	89.1	53.2	117.3	66.0	145.6	-	-
KRX 215PS	215	13.0	28.7	28.8	63.5	42.1	92.9	55.4	122.2	-	-	-	-
KRX 235PS	235	13.2	29.1	29.2	64.4	42.7	94.2	56.2	123.9	-	-	-	-
KRX 240PS	240	14.6	32.2	32.3	71.3	47.2	104.1	62.1	137.0	-	-	-	-
KRX 255PS	255	14.8	32.6	32.7	72.1	47.8	105.4	62.9	138.7	-	-	-	-



Note: Actual weights may vary within +/- 5%

PES Rail Range KR... PS Sintered Data

Sintered - MC Type Dimensional Data

Type	Rated capacity (C ₅ Ah)	Cell Dimensions						Dimensions													
		Length		Width		Height		Width		Height		Length									
												2 Cell Crate		3 Cell Crate		4 Cell Crate		5 Cell Crate		6 Cell Crate	
		mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in	mm	in
KRMC 100PS	100	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327
KRMC 110PS	110	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327
KRMC 125PS	125	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
KRMC 140PS	140	80	3.13	162	6.38	328	12.91	167	6.57	337	13.27	-	-	-	-	330	12.99	410	16.12	489	19.25
KRMC 160PS	160	80	3.13	162	6.38	328	12.91	167	6.57	337	13.27	-	-	-	-	330	12.99	410	16.12	489	19.25
KRMC 170PS	170	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRMC 190PS	190	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRMC 205PS	205	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRMC 225PS	225	95	3.74	171	6.73	317	12.48	176	6.93	326	12.83	-	-	-	-	392	15.43	487	19.17	582	22.91
KRMC 235PS	235	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	357	14.06	472	18.58	587	23.11	-	-
KRMC 260PS	260	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	357	14.06	472	18.58	587	23.11	-	-
KRMC 280PS	280	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-
KRMC 300PS	300	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-
KRMC 330PS	330	138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	287	11.30	425	16.71	562	22.13	-	-	-	-
KRMC 350PS	350	138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	287	11.30	425	16.71	562	22.13	-	-	-	-
KRMC 360PS	360	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-
KRMC 380PS	380	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-


* KRMC 100 PS and KRMC 110 PS models, HBL can offer crates in 8 cell, 10 cell and 12 cell configurations - For Dimensional details please contact HBL

PES Rail Range KR... PS Sintered Data

Sintered - MC Type Weight Data

Type	Rated capacity (C ₅ Ah)	Cell Weight		Weight									
				2 Cell Crate		3 Cell Crate		4 Cell Crate		5 Cell Crate		6 Cell Crate	
		Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb
KRMC 100PS	100	5.6	12.3	-	-	-	-	25.0	55.2	30.7	67.7	36.4	80.3
		5.5	12.1	-	-	-	-	-	-	-	-	35.6	78.5
KRMC 110PS	110	5.8	12.8	-	-	-	-	25.8	56.9	31.7	69.9	37.6	82.9
		5.7	12.6	-	-	-	-	-	-	-	-	36.8	81.2
KRMC 125PS	125	6.0	13.2	-	-	-	-	26.6	58.7	32.7	72.1	38.8	85.6
KRMC 140PS	140	7.3	16.1	-	-	-	-	31.8	70.2	39.2	86.5	46.6	102.8
KRMC 160PS	160	7.5	16.5	-	-	-	-	32.6	71.9	40.2	88.7	47.8	105.4
KRMC 170PS	170	9.1	20.1	-	-	29.9	66.0	39.2	86.5	48.6	107.2	57.9	127.7
KRMC 190PS	190	9.4	20.7	-	-	30.8	68.0	40.4	89.1	50.1	110.5	59.7	131.7
KRMC 205PS	205	9.6	21.2	-	-	31.4	69.3	41.2	90.9	51.1	112.7	60.9	134.3
KRMC 225PS	225	8.0	17.6	-	-	-	-	34.8	76.8	43.0	94.8	51.2	112.9
KRMC 235PS	235	10.8	23.8	-	-	35.2	77.7	46.2	101.9	57.3	126.4	-	-
KRMC 260PS	260	11.1	24.5	-	-	36.1	79.6	47.4	104.5	58.8	129.7	-	-
KRMC 280PS	280	13.1	28.9	28.8	63.5	42.2	93.1	55.6	122.6	69.0	152.2	-	-
KRMC 300PS	300	13.3	29.3	29.2	64.4	42.8	94.4	56.4	124.4	70.0	154.4	-	-
KRMC 330PS	330	13.7	30.2	30.2	66.6	44.2	97.5	58.2	128.4	-	-	-	-
KRMC 350PS	350	14.0	30.9	30.8	68.0	45.1	99.5	59.4	131.0	-	-	-	-
KRMC 360PS	360	16.0	35.3	35.1	77.4	51.4	113.4	67.7	149.3	-	-	-	-
KRMC 380PS	380	16.3	35.9	35.7	78.8	52.3	115.4	68.9	151.9	-	-	-	-

Note: Actual weights may vary within +/- 5%



PES Rail Range KR... PS Sintered Data

Sintered - HC Type Dimensional Data

Type	Rated capacity (C ₅ Ah)	Cell Dimensions						Dimensions													
		Length		Width		Height		Width		Height		Length									
		mm	in	mm	in	mm	in	mm	in	mm	in	2 Cell Crate		3 Cell Crate		4 Cell Crate		5 Cell Crate		6 Cell Crate	
KRXC 90PS	90	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327
KRXC 105PS	105	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
		105	4.13	86	3.39	303	11.93	179	7.05	312	12.28	-	-	-	-	-	-	-	-	-	327
KRXC 115PS	115	76	2.99	159	6.26	287	11.30	164	6.46	296	11.65	-	-	-	-	316	12.44	392	15.43	468	18.43
KRXC 135PS	135	80	3.13	162	6.38	328	12.91	167	6.57	337	13.27	-	-	-	-	330	12.99	410	16.12	489	19.25
KRXC 160PS	160	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRXC 175PS	175	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRXC 190PS	190	98	3.86	162	6.38	344	13.54	167	6.57	353	13.90	-	-	306	12.05	404	15.91	502	19.76	600	23.62
KRXC 200PS	200	95	3.74	171	6.73	317	12.48	176	6.93	326	12.83	-	-	-	-	392	15.43	487	19.17	582	22.91
		125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-
KRXC 215PS	215	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	357	14.06	472	18.58	587	23.11	-	-
KRXC 230PS	230	115	4.53	162	6.38	328	12.91	167	6.57	337	13.27	-	-	357	14.06	472	18.58	587	23.11	-	-
KRXC 255PS	255	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-
KRXC 260PS	260	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-
KRXC 270PS	270	125	4.92	164	6.46	323	12.72	169	6.65	332	13.07	262	10.31	387	15.24	512	20.16	637	25.08	-	-
KRXC 290PS	290	138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	287	11.30	425	16.71	562	22.13	-	-	-	-
KRXC 305PS	305	138	5.41	166	6.54	317	12.48	171	6.73	326	12.83	287	11.30	425	16.71	562	22.13	-	-	-	-
KRXC 320PS	320	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-
KRXC 340PS	340	150	5.91	164	6.46	323	12.72	169	6.65	332	13.07	312	12.28	462	18.19	612	24.09	-	-	-	-


* KRXC 90 PS and KRXC 105 PS models, HBL can offer crates in 8 cell, 10 cell and 12 cell configurations - For Dimensional details please contact HBL

PES Rail Range KR... PS Sintered Data

Sintered - HC Type Weight Data

Type	Rated capacity (C ₅ Ah)	Cell Weight		Weight									
				2 Cell crate		3 Cell crate		4 Cell crate		5 Cell crate		6 Cell crate	
		Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb	Kg	lb
KRXC 90PS	90	5.5	12.1	-	-	-	-	24.6	54.3	30.2	66.6	35.8	79.0
		5.4	11.9	-	-	-	-	-	-	-	-	35.0	77.2
KRXC 105PS	105	5.8	12.8	-	-	-	-	25.8	56.9	31.7	69.9	37.6	82.9
		5.7	12.6	-	-	-	-	-	-	-	-	36.8	81.2
KRXC 115PS	115	5.9	13.0	-	-	-	-	26.2	57.8	32.2	71.0	38.2	84.3
KRXC 135PS	135	7.4	16.3	-	-	-	-	32.2	71.0	39.7	87.6	47.2	104.1
KRXC 160PS	160	9.0	19.8	-	-	29.6	65.3	38.8	85.6	48.1	106.1	57.3	126.4
KRXC 175PS	175	9.2	20.3	-	-	30.2	66.6	39.6	87.4	49.1	108.3	58.5	129.0
KRXC 190PS	190	9.4	20.7	-	-	30.8	68.0	40.4	89.1	50.1	110.5	59.7	131.7
KRXC 200PS	200	8.0	17.6	-	-	-	-	34.8	76.8	43.0	94.8	51.2	112.9
		11.6	25.6	25.8	56.9	37.7	83.2	49.6	109.4	61.5	135.6	-	-
KRXC 215PS	215	11.0	24.3	-	-	35.8	79.0	47.0	103.7	58.3	128.6	-	-
KRXC 230PS	230	11.2	24.7	-	-	36.4	80.3	47.8	105.4	59.3	130.8	-	-
KRXC 255PS	255	12.8	28.2	28.2	62.2	41.3	91.1	54.4	120.0	67.5	148.9	-	-
KRXC 260PS	260	14.5	32.0	32.1	70.8	46.9	103.4	61.7	136.1	-	-	-	-
KRXC 270PS	270	13.0	28.7	28.6	63.1	41.9	92.4	55.2	121.7	68.5	151.1	-	-
KRXC 290PS	290	13.6	30.0	30.0	66.2	43.9	96.8	57.8	127.5	-	-	-	-
KRXC 305PS	305	13.8	30.4	30.4	67.1	44.5	98.2	58.6	129.2	-	-	-	-
KRXC 320PS	320	15.8	34.8	34.7	76.6	50.8	112.0	66.9	147.5	-	-	-	-
KRXC 340PS	340	16.2	35.7	35.5	78.3	52.0	114.7	68.5	151.1	-	-	-	-

Note: Actual weights may vary within +/- 5%





HBL[®]

Customer Service and Support

HBL Power Systems Ltd.

No. 8-2-601, Road No.10, Banjara Hills,
Hyderabad- 500 034,
Telangana, India.

Tel.: +91 40 2335 5575

+91 40 2335 5585

Fax: +91 40- 23355048

E-mail: contact@hbl.in

Website: www.hbl.in

HBL America Inc.

169 Progress Drive Suite B
Manchester, CT 06042 , USA

Tel.: +1 860-257-9800

Fax: +1 860-436-2366

Email:

contact@hblbatteries.com

HBL Germany GmbH.

Emilienstraße 24A, 08056

Zwickau, Germany

www.hblpower.de

(+49) 375 390 96597